




## COOKER HOODS



# CEILING TYPE

Cooker Hoods





- ***Airflow rate : 800 m<sup>3</sup>/h (230 W) / external indoor blower with 6 m cabling***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 4 x 3 W***
- ***Dimension : 60x90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black,White,Inox***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller,1060 m<sup>3</sup>/h EBM external blower***






- ***Airflow rate : 945 m<sup>3</sup>/h EBM blower***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar (10 W)***
- ***Dimension : 60x90 cm***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : White,Inox***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Remote controller***
- ***Recirculation mode only with electrostatic odour filter***
- ***Built under ceiling no chimney connection required***
- ***Options : 60x120 cm is available,Glass covers***

# CW10



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W) / external indoor blower with 6 m cabling***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Panel (40 W)***
- ***Dimension : 60x90 cm***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Remote controller***
- ***Build in ceiling***
- ***Options : 60x120 cm is available ,1060 m<sup>3</sup>/h EBM external blower***

# CW11



- **Airflow rate : 800 m<sup>3</sup>/h (230 W) / external indoor blower with 6 m cabling**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led spot 3x3 W**
- **Dimension : 60x90 cm**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Remote controller**
- **Build in ceiling**
- **Options : High air flow rate :1060 m<sup>3</sup>/h EBM external blower , 60x120 cm is available**

# CW101



- **Airflow rate : 800 m<sup>3</sup>/h (230 W) / external indoor blower with 6 m cabling**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 2 x 9 W**
- **Dimension : 60x90 cm**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Remote controller**
- **Build in ceiling**
- **Options : High air flow rate :1060 m<sup>3</sup>/h EBM external blower , 60x120 cm is available,Charcoal filter**



## CW12



- **Airflow rate : 800 m<sup>3</sup>/h (230 W) / external indoor blower with 6 m cabling**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 2 x 6 W**
- **Dimension : 60x90 cm**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black,White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Remote controller**
- **Build in ceiling**
- **Options : High air flow rate :1060 m<sup>3</sup>/h EBM external blower , 60x120 cm is available**

EXCLUSIVE

Cooker Hoods



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 2 x 3 W***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter, remote controller,90 cm is available***

# CWB600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller***



# CWB6001



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,90 cm is available***

# CWB6002



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,90 cm is available***

## CWB6003



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 1 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black, White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Options : Charcoal filter,Remote controller,90 cm is available**

# CWBW6004



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,90 cm is available***



# CWB6005



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 1 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Options : Charcoal filter,Remote controller,90 cm is available**

# CWI600





- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,90 cm is available***

# CWIW600



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 1 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black, White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Options : Charcoal filter,Remote controller**

## CWP600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller***

# WALL MOUNT

Head Free Cooker Hoods

## CWB600B



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speed + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1x3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Color options : Black,White***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,90 cm is available***

## CWXB600



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options : High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,**
- **Remote controller,Charcoal filter,80 cm and 90 cm are available**


# CWB6003



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options : High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,**
- **Remote controller,90 cm are available**



# CWIB600s



- ***Airflow rate : 550 m<sup>3</sup>/h (140 W)***
- ***Speed Level : 3 speeds***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Color options : Black,White***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,***
- ***Remote controller,90 cm are available***

# CWXX600



- ***Airflow rate : 550 m<sup>3</sup>/h (140 W)***
- ***Speed Level : 3 speeds***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,***
- ***Remote controller,90 cm are available***

## CWXR600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2x3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,Colour options,90 cm is available***

## CWXS600



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,Inox**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode, Charcoal filter,Remote controller,90 cm are available**

# CWBX600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speeds + intensive mode***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise Level : min.40 dB / max.62 dB***
- ***Colour options:Black,White***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : Charcoal filter, Remote controller,90 cm is available***

# CWBXS600



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed Level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension:60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Colour options : Black,White**
- **Options : Charcoal filter,Remote controller,90 cm is available**

## CWFB600



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed Level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension:60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Colour options : Black,White**
- **Options : Charcoal filter,Remote controller,90 cm is available**

## CWBL600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension:60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Colour options : Black***
- ***Options : Charcoal filter,Remote controller,90 cm is available***



## CWB600T



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed Level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension:60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Colour options : Black,White**
- **Options : Charcoal filter,Remote controller,90 cm is available**

# CWP600B



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed Level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension:60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Colour options : Black,White**
- **Options : Charcoal filter,Remote controller,80 and 90 cm are available**

## CWB6003L



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,**
- **Charcoal filter,Remote controller,90 cm are available**

# CWBB600



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Options : Remote controller,Charcoal filter,90 cm is available**

# WALL MOUNT

Flat Cooker Hoods



# DAPHNE



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode, Charcoal filter,Remote controller,90 cm are available**

# CWBXI600



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,**
- **Charcoal filter,Remote controller,90 cm are available**



# CWX600P



- ***Airflow rate : 550 m<sup>3</sup>/h (140 W)***
- ***Speed Level : 3 speeds***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Color options : Black,White,Inox***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,***
- ***Charcoal filter,Remote controller,90 cm are available***

## CWX600G



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Touch control**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,Inox**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium casette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W) ,3 speeds + intensive mode,**
- **Charcoal filter,Remote controller,90 cm are available**

## CWBC600



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speed**
- **Controller type : Push button**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White,Inox**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W),3 speeds + intensive mode,**
- **Remote controller,Charcoal filter,Touch control,90 cm are available**

## CWP600



- ***Airflow rate : 550 m<sup>3</sup>/h (140 W)***
- ***Speed Level : 3 speed***
- ***Controller type : Push button***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Color options : White,Inox***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options :High airflow rate:800 m<sup>3</sup>/h (230 W),3 speeds + intensive mode,***
- ***Remote controller,Charcoal filter,Touch control,90 cm are available***

# CWIVRY



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speeds***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension:60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Colour options : Black,White,Cream***
- ***Options : Charcoal filter,90 cm is available***

# CWANTR600



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 4 speeds***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W with seven digital display***
- ***Dimension:60 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Colour options : Black,White,Cream***
- ***Options : Charcoal filter,90 cm is available***

# CWANT6001



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speed**
- **Controller type : Push button**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Color options : Black,White,Cream**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium casette filters (dishwasher safe)**
- **Options :High airflow rate:800 m<sup>3</sup>/h (230 W),3 speeds + intensive mode,**
- **Remote controller,Charcoal filter,90 cm are available**

# CB101



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Push button**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Color options : Black,White,Cream,Inox**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :Remote controller,Charcoal filter,Touch Control,Chimney,90 cm are available**



# CB102



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speeds**
- **Controller type : Push button**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 60 cm**
- **Color options : Black,White,Cream,Inox**
- **Noise level : min.40 dB/max 62 dB**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options :Remote controller,Charcoal filter,Touch Control,Chimney,90 cm are available**

# CORNER



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed Level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 1 x 3 W***
- ***Noise level : min.40 dB/max 62 dB***
- ***Filters : Aluminium cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,Colour options***

# CWBIX600



***Airflow rate : 800 m<sup>3</sup>/h (230 W)***  
***Speed level : 3 speeds + intensive mode***  
***Controller type : Touch control***  
***Lighting : Led Lighting 2 x 3 W***  
***Dimension : 90 cm***  
***Duct size : 150 mm outlet with 120 mm adapter***  
***Noise level : min.40 dB/max 62 dB***  
***Color options : Black***  
***Filters : Aluminum cassette filters (dishwasher safe)***  
***Options : Remote controller,Charcoal filter,60 cm is available***

# CBIX52



- **Airflow rate : 550 m<sup>3</sup>/h (140 W)**
- **Speed Level : 3 speed**
- **Controller type : Push Button**
- **Lighting : Led Lighting 2 x 3 W**
- **Dimension : 52 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Inox**
- **Filters : Aluminium cassette filters (dishwasher safe)**
- **Options : Touch control-Remote controller,Charcoal filter,72 cm is available**

ISLAND TYPE

Cooker Hoods



# CI900BX



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 1 x 6 W***
- ***Dimension : 90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black, White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Charcoal filter,Remote controller,Chimney,60 cm is available***

# CI900CB



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Lighting 4 x 3 W**
- **Dimension : 90 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black,White**
- **Filters : Aluminum cassette filters (dishwasher safe),Charcoal filter**
- **Options : Remote controller,Chimney,Electrostatic odour filter**



# CIX900



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Inox***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller***

# CIX900XX



- ***Airflow rate : 800 m3/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Inox***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller***

# CIX900GL




- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Lighting 2 x 3 W***
- ***Dimension : 90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Inox***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller***

# CIX900P



- **Airflow rate : 800 m<sup>3</sup>/h (230 W)**
- **Speed level : 3 speeds + intensive mode**
- **Controller type : Touch control**
- **Lighting : Led Bar 2 x 3 W**
- **Dimension : 60 cm**
- **Duct size : 150 mm outlet with 120 mm adapter**
- **Noise level : min.40 dB/max 62 dB**
- **Color options : Black,White**
- **Filters : Aluminum cassette filters (dishwasher safe)**
- **Options : Remote controller,Charcoal filter**

# CIX900L



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 2 x 3 W***
- ***Dimension : 50 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black,White***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller,Chimney***

# CIX900PR



- ***Airflow rate : 800 m<sup>3</sup>/h (230 W)***
- ***Speed level : 3 speeds + intensive mode***
- ***Controller type : Touch control***
- ***Lighting : Led Bar 2 x 6 W***
- ***Dimension : 90 cm***
- ***Duct size : 150 mm outlet with 120 mm adapter***
- ***Noise level : min.40 dB/max 62 dB***
- ***Color options : Black,White,Red***
- ***Filters : Aluminum cassette filters (dishwasher safe)***
- ***Options : Remote controller,Electrostatic odour filter***

## Decorative Hoods



**CWX109.600**

**Standard Features**  
60cm T-Box Shaped Cooker Hood  
Stainless Steel Body  
Push Button Control  
3 Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
High performance motor  
Black/White Body



**CWX114.600**

**Standard Features**  
60cm T-Box Shaped Cooker Hood  
Glass Control Panel  
Stainless Steel Body  
Touch Control  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
Remote Control



**CWX114.601**

**Standard Features**  
60cm T-Box Shaped Cooker Hood  
Glass Control Panel  
Black Painted Body  
Touch Control  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
Remote Control



**CWX109.900**

**Standard Features**  
90cm T-Box Shaped Cooker Hood  
Stainless Steel Body  
Push Button Control  
3 Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
High performance motor  
Black/White Body



**CWX114.900**

**Standard Features**  
90cm T-Box Shaped Cooker Hood  
Glass Control Panel  
Stainless Steel Body  
Touch Control  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
Remote Control



**CWX114.901**

**Standard Features**  
90cm T-Box Shaped Cooker Hood  
Glass Control Panel  
Black Painted Body  
Touch Control  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
Remote Control

## Island & Corner Hoods



**CIB102.900**

90cm Decorative Island Hood  
Black Glass & Black Chimney  
Touch Control  
Double sided opening glass  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System  
Carbon Filters  
Remote Control



**CIW102.900**

90cm Decorative Island Hood  
White Glass & White Chimney  
Touch Control  
Double sided opening glass  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System  
Carbon Filters  
Remote Control



**CIB101.900**

90cm Decorative Island Hood  
Black curved Glass panels  
Touch Control  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System  
Carbon Filters  
Remote Control



**CCB100.900**

90cm Decorative Corner Hood  
Black Glass & Black Chimney  
Soft button Control with digit  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System  
Carbon Filters



**CCX100.900**

90cm Decorative Corner Hood  
Stainless Steel Body  
Soft button Control with digit  
5 Speed Levels  
15 min. Timer  
Filter Saturation indicator  
Continuous 24 Hour Ventilation  
Booster Function  
LED Lighting  
Aluminium Cassette Filters  
800m<sup>3</sup>/h performance  
Double Chimney  
NR-V System  
Carbon Filters

# Glass Hoods



**CWB104.601**

**Standard Features**

60cm Black Glass Cooker Hood  
Glass Control Panel  
Black Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWW104.601**

**Standard Features**

60cm White Glass Cooker Hood  
Glass Control Panel  
White Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWI104.601**

**Standard Features**

60cm Beige Glass Cooker Hood  
Glass Control Panel  
Beige Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWV104.601**

**Standard Features**

60cm Wine color Glass Cooker Hood  
Glass Control Panel  
Wine color painted Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWB104.901**

**Standard Features**

90cm Black Glass Cooker Hood  
Glass Control Panel  
Black Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWW104.901**

**Standard Features**

90cm White Glass Cooker Hood  
Glass Control Panel  
White Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control




**CWI104.901**

**Standard Features**

90cm Beige Glass Cooker Hood  
Glass Control Panel  
Beige Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWV104.901**

**Standard Features**

90cm Wine color Glass Cooker Hood  
Glass Control Panel  
Wine color painted Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



**CWB140.600**

**Standard Features**

60cm Black Glass Cooker Hood  
Glass Control Panel  
Hand motion sensor  
Black Body  
Touch Control  
5 Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
850 m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**

Carbon filters  
High performance motor  
Remote Control



# Glass Hoods



**CWB104.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWB131.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Black Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWX131.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Stainless Steel Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWB128.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 Black Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWW128.600**

**Standard Features**  
 60cm White Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 White Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWI128.600**

**Standard Features**  
 60cm Beige Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 Beige Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWB104.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWB131.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Black Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWX131.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Stainless Steel Body  
 Push button Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor



**CWB128.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 Black Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWW128.900**

**Standard Features**  
 90cm White Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 White Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWI128.900**

**Standard Features**  
 90cm White Glass Cooker Hood  
 Glass Control Panel  
 3 Glass Design  
 White Body  
 Touch Control  
 3Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control

# Glass Hoods



**CWB103.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 5 Speed Levels  
 15 min. Timer  
 Filter Saturation indicator  
 Continuous 24 Hour Ventilation  
 Booster Function  
 LED Lighting  
 Aluminium Cassette Filters  
 800m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 Remote Control



**CWB106.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 5 Speed Levels  
 15 min. Timer  
 Filter Saturation indicator  
 Continuous 24 Hour Ventilation  
 Booster Function  
 LED Lighting  
 Aluminium Cassette Filters  
 800m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 Remote Control



**CWB130.600**

**Standard Features**  
 60cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 3 Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWW130.600**

**Standard Features**  
 60cm White Glass Cooker Hood  
 Glass Control Panel  
 White Body  
 Touch Control  
 3 Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWB103.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 5 Speed Levels  
 15 min. Timer  
 Filter Saturation indicator  
 Continuous 24 Hour Ventilation  
 Booster Function  
 LED Lighting  
 Aluminium Cassette Filters  
 800m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 Remote Control



**CWB106.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 5 Speed Levels  
 15 min. Timer  
 Filter Saturation indicator  
 Continuous 24 Hour Ventilation  
 Booster Function  
 LED Lighting  
 Aluminium Cassette Filters  
 800m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 Remote Control



**CWB130.900**

**Standard Features**  
 90cm Black Glass Cooker Hood  
 Glass Control Panel  
 Black Body  
 Touch Control  
 3 Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



**CWW130.900**

**Standard Features**  
 90cm White Glass Cooker Hood  
 Glass Control Panel  
 White Body  
 Touch Control  
 3 Speed Levels  
 LED Lighting  
 Aluminium Cassette Filters  
 550m<sup>3</sup>/h performance  
 Double Chimney  
 NR-V System

**Optional Features**  
 Carbon filters  
 High performance motor  
 Remote Control



## CSX100.601

**Standard Features**  
50cm/60cm/90cm Classical Hood  
Stainless Steel Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CSW100.601

**Standard Features**  
50cm/60cm/90cm Classical Hood  
White Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CSB100.601

**Standard Features**  
50cm/60cm/90cm Classical Hood  
Black Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CSX100.600

**Standard Features**  
50cm/60cm/90cm Classical Hood  
Stainless Steel Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CSW100.600

**Standard Features**  
50cm/60cm/90cm Classical Hood  
White Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CSB100.600

**Standard Features**  
50cm/60cm/90cm Classical Hood  
Black Body  
Push Button Control  
Aluminium Cassette Filters  
350m<sup>3</sup>/h performance  
Single Motor  
3 Speed Levels

**Optional Features**  
Double motor  
LED Lighting  
Glass Visor



## CWB104.601 Ambiance

**Standard Features**  
60cm Black Glass Cooker Hood  
Glass Control Panel  
Black Body  
Lighted Mechanic Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
High performance motor  
Remote Control



## 6172-15 Ambiance

**Standard Features**  
60 cm gas on glass built-in hob  
4 gas burners  
Cast iron pan supports  
Lighted mechanic knobs  
Underknob auto-ignition  
NG/LPG options  
1XWOK burner: 2500W  
2XSemi-Rapid burner: 1750W  
1XAuxiliary burner: 1000W

**Optional Features**  
Flame Failure Device (FFD)  
Italian Sabaf burners  
Beveled edge glass  
Coffee adapter  
Metal knobs  
Wok stand



## OMO104.00 Ambiance

**Standard Features**  
60cm , Electrical Built in Oven  
Black Glass control panel  
Touch Control Digital Timer  
Lighted pop-up/mechanic knobs  
Lighted chrome handle  
Side Wire Racks (5 Level Shelves)  
Glass oven door with inox stripes  
Easy to remove and clean Low-E inner glass  
Double glazed oven door  
67 Liter-Easy to clean cavity  
1 Flat Tray+1 Grid

**Optional Features**  
Additional tray (deep or flat)  
Pop-up Knobs, Rotisserie  
Telescopic Rail  
Triple Glazed Oven Door  
Grey colour enamel cavity, Mirror glass  
Catalytic Panels (Sides and Rear)  
Glass Tray, Soft Close Door  
Square Lamp (Single or Double)



## CWG104.601

**Standard Features**  
60cm Grey Glass Cooker Hood  
Glass Control Panel  
Grey Body  
Touch Control  
3Speed Levels  
LED Lighting  
Aluminium Cassette Filters  
550m<sup>3</sup>/h performance  
Double Chimney  
NR-V System

**Optional Features**  
Carbon filters  
High performance motor  
Remote Control



## 6172-01

**Standard Features**  
60 cm gas on glass built-in hob  
4 gas burners  
Cast iron pan supports  
Underknob auto-ignition  
NG/LPG options  
1XRapid burner: 3000W  
2XSemi-Rapid burner: 1750W  
1XAuxiliary burner: 1000W

**Optional Features**  
Flame Failure Device (FFD)  
Italian Sabaf burners  
Beveled edge glass  
Coffee adapter  
Metal knobs



## OFA104.00G

**Standard Features**  
60cm , Electrical Built in Oven  
Grey Glass control panel with inox stripes  
Touch Control Digital Timer  
Standart mechanical knobs  
Aluminium Handle  
Side Wire Racks (5 Level Shelves)  
Glass oven door with inox stripes  
Easy to remove and clean Low-E inner glass  
Double glazed oven door  
67 Liter-Easy to clean cavity  
1 Flat Tray+1 Grid

**Optional Features**  
Additional tray (deep or flat)  
Pop-up Knobs, Rotisserie  
Telescopic Rail  
Triple Glazed Oven Door  
Grey colour enamel cavity, Mirror glass  
Catalytic Panels (Sides and Rear)  
Glass Tray, Soft Close Door  
Square Lamp (Single or Double)



# Ovens

